



Elliptic Flow of Charged Particles in Pb-Pb Collisions

K. Aamodt et al.
(ALICE Collaboration)

(Received 18 November 2010; published 1 December 2010)

We report the first measurement of charged particle elliptic flow v_2 at $\sqrt{s_{NN}} = 2.76$ TeV with the ALICE detector at the CERN Large Hadron Collider in the central pseudorapidity region ($|\eta| < 0.8$) and transverse momentum $p_T > 0.5$ GeV/c. The elliptic flow signal v_2 , measured using the 4-particle correlation function, is $0.087 \pm 0.002(\text{stat}) \pm 0.003(\text{sys})$. The differential elliptic flow $v_2(p_T)$ reaches a maximum of 0.21 at $p_T = 1.5$ GeV/c. In 2.76 TeV collisions at $\sqrt{s_{NN}} = 200$ GeV, the elliptic flow increases with energy density. Predictions which include viscous corrections are in agreement with the data.

DOI: [10.1103/PhysRevLett.105.252302](https://doi.org/10.1103/PhysRevLett.105.252302)

The goal of ultrarelativistic nuclear collisions is the creation and study of the quark-gluon plasma (QGP), a state of matter whose existence at high energy density is predicted by quantum chromodynamics. One of the experimental observables that is sensitive to the properties of this matter is the azimuthal distribution of particles in the plane perpendicular to the beam direction. When nuclei collide at finite impact parameter (noncentral collisions), the geometrical overlap region and therefore the initial matter distribution is anisotropic (almond shaped). If the matter is interacting, this spatial asymmetry is converted via multiple collisions into an anisotropic momentum distribution [1]. The second moment of the final state hadron azimuthal distribution is called elliptic flow; it is a response of the dense system to the initial conditions and therefore sensitive to the early and hot, strongly interacting phase of the evolution.

At RHIC large elliptic flow has been observed and is one of the key experimental discoveries [2–6]. Theoretical models, based on ideal relativistic hydrodynamics with a QGP equation of state and zero shear viscosity, fail to describe elliptic flow measurements at lower energies but describe RHIC data reasonably well [7]. Theoretical arguments, based on the AdS/CFT conjecture [8], suggest a universal lower bound of $1/4\pi$ [9] for the ratio of shear viscosity to entropy density. Recent model studies incorporating viscous corrections indicate that the shear viscosity at RHIC is within a factor of ~ 5 of this bound [10–13].

The pure hydrodynamic models [7,14,15] and models which combine hydrodynamics with a hadron cascade afterburner (hybrid models) [16,17] that successfully de-

*Full author list given at the end of the article.



Elliptic flow in Pb-Pb Collisions at $\sqrt{s_{NN}} = 2.76$ TeV

K. Aamodt *et al.**

ALICE Collaboration)

(Received 10 November 2010; published 13 December 2010)

We report on the measurement of particle elliptic flow in Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV at the Large Hadron Collider. The measurement is performed in the transverse momentum range $0.2 < p_t < 5.0$ GeV/ c . The elliptic flow is measured using the 4-particle correlation method, averaged over transverse momentum. The elliptic flow is $v_2(p_t) \pm 0.003(\text{syst})$ in the 40%–50% centrality class. The elliptic flow increases by about 30% from $p_t = 0.2$ to $p_t = 3$ GeV/ c . Compared to RHIC Au-Au collisions, the elliptic flow increases by about 30%. Some hydrodynamic model predictions are in agreement with the observed increase.

PACS numbers: 25.75.Ld, 25.75.Gz, 25.75.Nq

The elliptic flow at RHIC predict an increase of the elliptic flow at the LHC ranging from 10% to 30%, with the largest increase predicted by models which account for viscous corrections [15–18] at RHIC energies. In models with viscous corrections, v_2 at RHIC is below the ideal hydrodynamic limit [12,17] and therefore can show a stronger increase with energy. In hydrodynamic models the charged particle elliptic flow as a function of transverse momentum does not change significantly [7,14], while the p_t -integrated elliptic flow increases due to the rise in average p_t expected from larger radial (azimuthally symmetric) flow. The larger radial flow also leads to a decrease of the elliptic flow at low transverse momentum, which is most pronounced for heavy particles. Models based on a parton cascade [19], including models that take into account quark recombination for particle production [20], predict a stronger decrease of the elliptic flow as a function of transverse momentum compared to RHIC energies. Phenomenological extrapolations [21] and models based on final state interactions [22] that have been tuned to describe the RHIC data predict an increase of the elliptic flow of $\sim 50\%$, larger than other models. A measurement of elliptic flow at the LHC is therefore crucial to test the validity of a hydrodynamic description of the medium and to measure its thermodynamic properties, in particular, shear viscosity and the equation of state [23].

The azimuthal dependence of the particle yield can be written in the form of a Fourier series [24,25]:

$$E \frac{d^3N}{d^3p} = \frac{1}{2\pi} \frac{d^2N}{p_t dp_t dy} \left(1 + \sum_{n=1}^{\infty} 2v_n \cos[n(\phi - \Psi_R)] \right), \quad (1)$$

where E is the energy of the particle, p the momentum, p_t the transverse momentum, ϕ the azimuthal angle, y the rapidity, and Ψ_R the reaction plane angle. The reaction plane is the plane defined by the beam axis z and the impact parameter direction. In general the coefficients $v_n = \langle \cos[n(\phi - \Psi_R)] \rangle$ are p_t and y dependent—therefore we

refer to them as differential flow. The integrated flow is defined as an average evaluated with $d^2N/dp_T dy$ used as a weight. The first coefficient, v_1 , is called directed flow, and the second coefficient, v_2 , is called elliptic flow.

We report the first measurement of elliptic flow of charged particles in Pb-Pb collisions at the center of mass energy per nucleon pair $\sqrt{s_{NN}} = 2.76$ TeV, with the ALICE detector [26–28]. The data were recorded in November 2010 during the first run with heavy ions at the LHC.

For this analysis the ALICE inner tracking system (ITS) and the time projection chamber (TPC) were used to reconstruct the charged particle tracks. The VZERO counters and the silicon pixel detector (SPD) were used for the trigger. The VZERO counters are two scintillator arrays providing both amplitude and timing information, covering the pseudorapidity range $2.8 < \eta < 5.1$ (VZERO-A) and $-3.7 < \eta < -1.7$ (VZERO-C). The VZERO time resolution is better than 1 ns. The SPD is the innermost part of the ITS, consisting of two cylindrical layers of hybrid silicon pixel assemblies covering the range of $|\eta| < 2.0$ and $|\eta| < 1.4$ for the inner and outer layer, respectively. The minimum-bias interaction trigger required at least two out of the following three conditions [29]: (i) two pixel chips hit in the outer layer of the silicon pixel detectors, (ii) a signal in VZERO-A, (iii) a signal in VZERO-C. The bunch intensity was typically 10^7 Pb ions per bunch and each beam had 4 colliding bunches. The estimated luminosity was $5 \times 10^{23} \text{ cm}^{-2} \text{ s}^{-1}$, producing collisions with a minimum-bias trigger at a rate of 50 Hz including about 4 Hz nuclear interactions, 45 Hz electromagnetic processes, and 1 Hz beam background.

A removal of background events was carried out off-line using the VZERO timing information and the requirement of two tracks in the central detector. A study based on Glauber model fits to the multiplicity distribution (see also [29]) in the region corresponding to 80% of the most central collisions, where the vertex reconstruction is fully efficient, allows for the determination of the cross section percentile. Only events with a vertex found in $|z| < 10$ cm were used in this analysis to ensure a uniform acceptance in the central pseudorapidity region $|\eta| < 0.8$. An event sample of 45×10^3 Pb-Pb collisions passed the selection criteria and was used in this analysis. The data are analyzed in centrality classes determined by cuts on the uncorrected charged particle multiplicity, in pseudorapidity acceptance $|\eta| < 0.8$. Figure 1 shows the uncorrected charged particle multiplicity in the TPC for these events and indicates the nine centrality bins used in the analysis.

To select charged particles with high efficiency and to minimize the contribution from photon conversions and secondary charged particles produced in the detector material, the following track requirements were applied for tracks measured with the ITS and TPC. The tracks are required to have at least 70 reconstructed space points out




FIG. 1. The uncorrected multiplicity distribution of charged particles in the TPC ($|\eta| < 0.8$). The centrality bins used in the analysis are shown and the cumulative fraction of the total events is indicated in percent. The bins 60%–70% and 70%–80% are not labeled.

of the maximum 159 in the TPC and a $\langle\chi^2\rangle$ per TPC cluster ≤ 4 (with 2 degrees of freedom per cluster). Additionally, at least two of the six ITS layers must have a hit associated with the track. Tracks are rejected if their distance of closest approach to the primary vertex is larger than 0.3 cm in the transverse plane and 0.3 cm in the longitudinal direction. For the selected tracks the reconstruction efficiency and remaining contamination are estimated by Monte Carlo simulations of HIJING [30] and THERMINATOR [31,32] events using a GEANT3 [33] detector simulation and event reconstruction. The reconstruction efficiency for tracks with $0.2 < p_t < 1.0$ GeV/c increases from 60% to 70% after which it stays constant at $(70 \pm 5)\%$. The contamination from secondary interactions and photon conversions is less than 5% for $p_t = 0.2$ GeV/c and less than 1% for $p_t > 1$ GeV/c. Both the efficiency and contamination as a function of transverse momentum do not change significantly as a function of multiplicity and are therefore the same for all centrality classes.

An alternative analysis was performed with tracks reconstructed using only the TPC information. For these tracks the same selections were applied except for the requirement of hits in the ITS and allowing for a larger closest distance to the primary vertex, smaller than 3.0 cm in the transverse plane and 3.0 cm in the longitudinal direction. The reconstruction efficiency for these tracks with $0.2 < p_t < 1.0$ GeV/c increases from 70% to 80% after which it stays constant at $(80 \pm 5)\%$. The contamination is less than 6% at $p_t = 0.2$ GeV/c and drops below 1% at $p_t > 1$ GeV/c. For this track selection the efficiency and contamination as a function of transverse momentum also do not depend significantly on the track density and are therefore the same for all centrality classes. The relative momentum resolution for tracks used in this analysis was better than 5%, both for the combined ITS-TPC and TPC stand-alone tracks. The results obtained from the

ITS-TPC and TPC stand-alone tracking are in excellent agreement. Because of the smaller corrections for the azimuthal acceptance, the results obtained using the TPC stand-alone tracks are presented in this Letter.

The p_t -differential flow was measured for different event centralities using various analysis techniques. In this Letter we report results obtained with 2- and 4-particle cumulant methods [34], denoted $v_2\{2\}$ and $v_2\{4\}$. To calculate multiparticle cumulants we used a new fast and exact implementation [35]. The $v_2\{2\}$ and $v_2\{4\}$ measurements have different sensitivity to flow fluctuations and nonflow effects—which are uncorrelated to the initial geometry. Analytical estimates and results of simulations show that nonflow contributions to $v_2\{4\}$ are negligible [36]. The contribution from flow fluctuations is positive for $v_2\{2\}$ and negative for $v_2\{4\}$ [37]. For the integrated elliptic flow we also fit the flow vector distribution [38] and use the Lee-Yang zeros method [39], which we denote by $v_2\{q\text{-dist}\}$ and $v_2\{\text{LYZ}\}$, respectively [40]. In addition to comparing the 2- and 4-particle cumulant results we also estimate the nonflow contribution by comparing to correlations of particles of the same charge. Charge correlations due to processes contributing to nonflow (weak decays, correlations due to jets, etc.) lead to stronger correlations between particles of unlike charge sign than like charge sign.

Figure 2(a) shows $v_2(p_t)$ for the centrality class 40%–50% obtained with different methods. For comparison, we present STAR measurements [41,42] for the same centrality from Au-Au collisions at $\sqrt{s_{NN}} = 200$ GeV, indicated by the shaded area. We find that the value of $v_2(p_t)$ does not change within uncertainties from $\sqrt{s_{NN}} = 200$ GeV to 2.76 TeV. Figure 2(b) presents $v_2(p_t)$ obtained with the 4-particle cumulant method for three different centralities, compared to STAR measurements. The transverse momentum dependence is qualitatively similar for all three centrality classes. At low p_t there is agreement of $v_2(p_t)$ with STAR data within uncertainties.

The integrated elliptic flow is calculated for each centrality class using the measured $v_2(p_t)$ together with the charged particle p_t -differential yield. For the determination of integrated elliptic flow the magnitude of the charged particle reconstruction efficiency does not play a role. However, the relative change in efficiency as a function of transverse momentum does matter. We have estimated the correction to the integrated elliptic flow based on HIJING and THERMINATOR simulations. Transverse momentum spectra in HIJING and THERMINATOR are different, giving an estimate of the uncertainty in the correction. The correction is about 2% with an uncertainty of 1%. In addition, the uncertainty due to the centrality determination results in a relative uncertainty of about 3% on the value of the elliptic flow.

Figure 3 shows that the integrated elliptic flow increases from central to peripheral collisions and reaches a




FIG. 2 (color online). (a) $v_2(p_t)$ for the centrality bin 40%–50% from the 2- and 4-particle cumulant methods for this measurement and for Au-Au collisions at $\sqrt{s_{NN}} = 200$ GeV. (b) $v_2\{4\}(p_t)$ for various centralities compared to STAR measurements. The data points in the 20%–30% centrality bin are shifted in p_t for visibility.

maximum value in the 50%–60% and 40%–50% centrality class of $0.106 \pm 0.001(\text{stat}) \pm 0.004(\text{syst})$ and $0.087 \pm 0.002(\text{stat}) \pm 0.003(\text{syst})$ for the 2- and 4-particle cumulant method, respectively. It is also seen that the measured integrated elliptic flow from the 4-particle cumulant, from fits of the flow vector distribution, and from the Lee-Yang zeros method, are in agreement. The open markers in Fig. 3 show the results obtained for the cumulants using particles of the same charge. The 4-particle cumulant results agree within uncertainties for all charged particles and for the same charge particle data sets. The 2-particle cumulant results, as expected due to nonflow, depend weakly on the charge combination. The difference is most pronounced for the most peripheral and central events.

The integrated elliptic flow measured in the 20%–30% centrality class is compared to results from lower energies in Fig. 4. For the comparison we have corrected the integrated elliptic flow for the p_t cutoff of 0.2 GeV/c. The estimated magnitude of this correction is $(12 \pm 5)\%$ based on calculations with THERMINATOR. The figure shows that there is a continuous increase in the magnitude of the elliptic flow for this centrality region from RHIC to LHC energies. In comparison to the elliptic flow measurements in Au-Au collisions at $\sqrt{s_{NN}} = 200$ GeV, we observe about a 30% increase in the magnitude of v_2 at $\sqrt{s_{NN}} = 2.76$ TeV. The increase of about 30% is larger than in current ideal hydrodynamic calculations at LHC multiplic-




FIG. 3 (color online). Elliptic flow integrated over the p_t range $0.2 < p_t < 5.0$ GeV/ c , as a function of event centrality, for the 2- and 4-particle cumulant methods, a fit of the distribution of the flow vector, and the Lee-Yang zeros method. For the cumulants the measurements are shown for all charged particles (full markers) and same charge particles (open markers). Data points are shifted for visibility. RHIC measurements for Au-Au at $\sqrt{s_{NN}} = 200$ GeV, integrated over the p_t range $0.15 < p_t < 2.0$ GeV/ c , for the event plane $v_2\{\text{EP}\}$ and Lee-Yang zeros are shown by the solid curves.

ities [7] but is in agreement with some models that include viscous corrections which at the LHC become less important [12,15–18].

In summary we have presented the first elliptic flow measurement at the LHC. The observed similarity at RHIC and the LHC of p_t -differential elliptic flow at low p_t is consistent with predictions of hydrodynamic models [7,14]. We find that the integrated elliptic flow increases about 30% from $\sqrt{s_{NN}} = 200$ GeV at RHIC to $\sqrt{s_{NN}} =$





FIG. 4 (color online). Integrated elliptic flow at 2.76 TeV in Pb-Pb 20%–30% centrality class compared with results from lower energies taken at similar centralities [40,43].

2.76 TeV. The larger integrated elliptic flow at the LHC is caused by the increase in the mean p_t . Future elliptic flow measurements of identified particles will clarify the role of radial expansion in the formation of elliptic flow.


The ALICE Collaboration would like to thank all its engineers and technicians for their invaluable contributions to the construction of the experiment and the CERN accelerator teams for the outstanding performance of the LHC complex. The ALICE Collaboration acknowledges the following funding agencies for their support in building and running the ALICE detector: Calouste Gulbenkian Foundation from Lisbon and Swiss Fonds Kidagan, Armenia; Conselho Nacional de Desenvolvimento Científico e Tecnológico (CNPq), Financiadora de Estudos e Projetos (FINEP), Fundação de Amparo à Pesquisa do Estado de São Paulo (FAPESP); National Natural Science Foundation of China (NSFC), the Chinese Ministry of Education (CMOE), and the Ministry of Science and Technology of China (MSTC); Ministry of Education and Youth of the Czech Republic; Danish Natural Science Research Council, the Carlsberg Foundation, and the Danish National Research Foundation; The European Research Council under the European Community's Seventh Framework Programme; Helsinki Institute of Physics and the Academy of Finland; French CNRS-IN2P3, the "Region Pays de Loire," "Region Alsace," "Region Auvergne," and CEA, France; German BMBF and the Helmholtz Association; Hungarian OTKA and National Office for Research and Technology (NKTH); Department of Atomic Energy and Department of Science and Technology of the Government of India; Istituto Nazionale di Fisica Nucleare (INFN) of Italy; MEXT Grant-in-Aid for Specially Promoted Research, Japan; Joint Institute for Nuclear Research, Dubna; National Research Foundation of Korea (NRF); CONACYT, DGAPA, México, ALFA-EC, and the HELEN Program (High-Energy physics Latin-American-European Network); Stichting voor Fundamenteel Onderzoek der Materie (FOM) and the Nederlandse Organisatie voor Wetenschappelijk Onderzoek (NWO), Netherlands; Research Council of Norway (NFR); Polish Ministry of Science and Higher Education; National Authority for Scientific Research-NASR (Autoritatea Națională pentru Cercetare Științifică-ANCS); Federal Agency of Science of the Ministry of Education and Science of Russian Federation, International Science and Technology Center, Russian Academy of Sciences, Russian Federal Agency of Atomic Energy, Russian Federal Agency for Science and Innovations, and CERN-INTAS; Ministry of Education of Slovakia; CIEMAT, EELA, Ministerio de Educación y Ciencia of Spain, Xunta de Galicia (Consellería de Educación), CEADEN, Cubaenergía, Cuba, and IAEA (International Atomic Energy Agency); The Ministry of Science and Technology and the National Research Foundation



ange
the
n of
mu-
(full
oints
u at
 $p_t <$
are

ude
por-

low
y at
low
dels
ases
 $\bar{v} =$



V in
from

(NRF), South Africa; Swedish Research Council (VR) and Knut & Alice Wallenberg Foundation (KAW); Ukraine Ministry of Education and Science; United Kingdom Science and Technology Facilities Council (STFC); The U.S. Department of Energy, the U.S. National Science Foundation, the State of Texas, and the State of Ohio.

-
- [1] J. Y. Ollitrault, *Phys. Rev. D* **46**, 229 (1992).
 - [2] K. H. Ackermann *et al.* (STAR Collaboration), *Phys. Rev. Lett.* **86**, 402 (2001).
 - [3] I. Arsene *et al.* (BRAHMS Collaboration), *Nucl. Phys.* **A757**, 1 (2005).
 - [4] B. B. Back *et al.* (PHOBOS Collaboration), *Nucl. Phys.* **A757**, 28 (2005).
 - [5] J. Adams *et al.* (STAR Collaboration), *Nucl. Phys.* **A757**, 102 (2005).
 - [6] K. Adcox *et al.* (PHENIX Collaboration), *Nucl. Phys.* **A757**, 184 (2005).
 - [7] G. Kestin and U. W. Heinz, *Eur. Phys. J. C* **61**, 545 (2009).
 - [8] J. M. Maldacena, *Adv. Theor. Math. Phys.* **2**, 231 (1998) [*Int. J. Theor. Phys.* **38**, 1113 (1999)].
 - [9] P. K. Kovtun, D. T. Son, and A. O. Starinets, *Phys. Rev. Lett.* **94**, 111601 (2005).
 - [10] D. Teaney, *Phys. Rev. C* **68**, 034913 (2003).
 - [11] P. Romatschke and U. Romatschke, *Phys. Rev. Lett.* **99**, 172301 (2007).
 - [12] H. Masui, J. Y. Ollitrault, R. Snellings, and A. Tang, *Nucl. Phys.* **A830**, 463C (2009).
 - [13] H. Song and U. W. Heinz, *J. Phys. G* **36**, 064033 (2009).
 - [14] H. Niemi, K. J. Eskola, and P. V. Ruuskanen, *Phys. Rev. C* **79**, 024903 (2009).
 - [15] M. Luzum and P. Romatschke, *Phys. Rev. Lett.* **103**, 262302 (2009).
 - [16] T. Hirano, P. Huovinen, and Y. Nara, [arXiv:1010.6222](https://arxiv.org/abs/1010.6222).
 - [17] T. Hirano, U. W. Heinz, D. Kharzeev, R. Lacey, and Y. Nara, *Phys. Lett. B* **636**, 299 (2006).
 - [18] H. J. Drescher, A. Dumitru, and J. Y. Ollitrault, [arXiv:0706.1707](https://arxiv.org/abs/0706.1707).
 - [19] D. Molnar, [arXiv:0707.1251](https://arxiv.org/abs/0707.1251).
-

K. Aamodt,¹ B. Abelev,² A. Abrahantes Quintana,³ G. Aglieri Rinella,⁷ A. G. Agocs,⁸ S. Aguilar Salazar,⁹ S. U. Ahn,^{12,b} A. Akindinov,¹³ D. Aleksandrov,¹⁴ B. Alekseyev,¹⁵ E. Almaráz Aviña,⁹ T. Alt,¹⁸ V. Altini,¹⁹ S. Altinpinar,²⁰ I. Altsybeev,²¹ C. Anson,²⁴ T. Antičić,²⁵ F. Antinori,²⁶ P. Antonioli,²⁷ L. Aphecqche,²⁸ A. Arend,²⁹ N. Armesto,³¹ R. Arnaldi,¹⁵ T. Aronsson,⁵ I. C. Arsene,³ T. C. Awes,³² J. Äystö,³³ M. D. Azmi,¹¹ M. Bach,¹⁸ A. Badier,³⁴ R. Bala,^{35,e} R. Baldini Ferroli,³⁶ A. Baldisseri,³⁷ A. Baldit,³⁸ F. Barile,¹⁹ G. G. Barnaföldi,⁸ L. S. Barnby,⁴¹ V. Barret,⁴² G. Batigne,²⁸ B. Batyunya,⁴⁴ C. Baumann,²⁹ I. G. Bearden,⁴³ E. Belmont-Moreno,⁹ S. Beole,³⁵ I. Berceanu,²² A. Bercu,⁴⁵ L. Betev,⁷ A. Bhasin,⁴⁹ A. K. Bhati,⁶ L. Bianchi,³⁵ N. Bhattarai,⁵⁰ A. Bilandzic,⁵² E. Biolcati,³⁵ A. Blanc,³⁸ F. Blanco,⁵³ F. Bock,⁵⁴ A. Bogdanov,⁵⁵ H. Bøggild,⁴⁵ M. Bogolyubsky,⁵⁶ L. Borkovits,⁵⁷

- [20] D. Krieg and M. Bleicher, *Phys. Rev. C* **78**, 054903 (2008).
- [21] W. Busza, *J. Phys. G* **35**, 044040 (2008).
- [22] A. Capella, E. G. Ferreira, A. Kaidalov, and K. Tywoniuk, [arXiv:0706.3315](#).
- [23] N. Armesto *et al.*, *J. Phys. G* **35**, 054001 (2008).
- [24] S. Voloshin and Y. Zhang, *Z. Phys. C* **70**, 665 (1996).
- [25] A. M. Poskanzer and S. A. Voloshin, *Phys. Rev. C* **58**, 1671 (1998).
- [26] ALICE Collaboration, *JINST* **3**, S08002 (2008).
- [27] ALICE Collaboration, *J. Phys. G* **30**, 1517 (2004).
- [28] ALICE Collaboration, *J. Phys. G* **32**, 1295 (2006).
- [29] ALICE Collaboration, [arXiv:1011.3916](#).
- [30] M. Gyulassy and X.-N. Wang, *Comput. Phys. Commun.* **83**, 307 (1994); X. N. Wang and M. Gyulassy, *Phys. Rev. D* **44**, 3501 (1991).
- [31] A. Kisiel, T. Taluc, W. Broniowski, and W. Florkowski, *Comput. Phys. Commun.* **174**, 669 (2006).
- [32] P. Bozek, M. Chojnacki, W. Florkowski, and B. Tomasik, *Phys. Lett. B* **694**, 238 (2010).
- [33] R. Brun *et al.*, CERN Program Library Long Write-up, W5013, GEANT3 Detector Description and Simulation Tool, 1994.
- [34] N. Borghini, P. M. Dinh, and J. Y. Ollitrault, *Phys. Rev. C* **64**, 054901 (2001).
- [35] A. Bilandzic, R. Snellings, and S. Voloshin, [arXiv:1010.0233](#).
- [36] C. Adler *et al.* (STAR Collaboration), *Phys. Rev. C* **66**, 034904 (2002).
- [37] M. Miller and R. Snellings, [arXiv:nucl-ex/0312008](#).
- [38] J. Adams *et al.* (STAR Collaboration), *Phys. Rev. Lett.* **93**, 252301 (2004).
- [39] R. S. Bhalerao, N. Borghini, and J. Y. Ollitrault, *Nucl. Phys. A* **727**, 373 (2003).
- [40] S. A. Voloshin, A. M. Poskanzer, and R. Snellings, in *Landolt-Boernstein*, Relativistic Heavy Ion Physics Vol. 1/23 (Springer-Verlag, Berlin, 2010), pp 5–54.
- [41] Y. Bai, Ph.D. thesis, Nikhef and Utrecht University, 2007.
- [42] B. I. Abelev *et al.* (STAR Collaboration), *Phys. Rev. C* **77**, 054901 (2008).
- [43] A. Andronic *et al.* (FOPI Collaboration), *Phys. Lett. B* **612**, 173 (2005).

Quintana,³ D. Adamová,⁴ A. M. Adare,⁵ M. M. Aggarwal,⁶ Salazar,⁹ Z. Ahammed,¹⁰ A. Ahmad Masoodi,¹¹ N. Ahmad,¹¹ B. Alessandro,¹⁵ R. Alfaro Molina,⁹ A. Alici,^{16,c} A. Alkin,¹⁷ I. Altsybeev,²¹ C. Andrei,²² A. Andronic,²⁰ V. Anguelov,^{23,d} L. Aphecetche,²⁸ H. Appelshäuser,²⁹ N. Arbor,³⁰ S. Arcelli,¹⁶ I. C. Arsene,²⁰ A. Asryan,²¹ A. Augustinus,⁷ R. Averbach,¹⁸ A. Badalà,³⁴ Y. W. Baek,¹² S. Bagnasco,¹⁵ R. Bailhache,²⁹ J. Baldit,³⁸ F. Baltasar Dos Santos Pedrosa,⁷ J. Bán,³⁹ R. Barbera,⁴⁰ V. Barret,³⁸ J. Bartke,⁴² M. Basile,¹⁶ N. Bastid,³⁸ B. Bathen,⁴³ Bearden,⁴⁵ H. Beck,²⁹ I. Belikov,⁴⁶ F. Bellini,¹⁶ R. Bellwied,^{47,f} A. Bercuci,²² E. Berdermann,²⁰ Y. Berdnikov,⁴⁸ C. Bergmann,⁴³ N. Bianchi,⁵⁰ C. Bianchin,²⁶ J. Bielčák,⁵¹ J. Bielčíková,⁴ F. Blanco,⁵⁴ D. Blau,¹⁴ C. Blume,²⁹ M. Boccioni,⁷ N. Bock,²⁴ L. Boldizsár,⁸ M. Bombara,⁵⁷ C. Bombonati,²⁶ J. Book,²⁹

- H. Borel,³⁷ A. Borissov,⁴⁷ C. Bortolin,^{26,g} S. Bose,⁵⁸
 P. Braun-Munzinger,²⁰ L. Bravina,⁶⁰ M. Bregant,^{61,h} T. Br
 D. Budnikov,⁶³ H. Buesching,²⁹ K. Bugaiev,¹⁷ O. Busch,
 E. Calvo Villar,⁶⁷ P. Camerini,⁶¹ V. Canoa Roman,^{7,i} G. C
 A. Casanova Díaz,⁵⁰ M. Caselle,⁷ J. Castillo Castellanos,³⁷ v
 B. Chang,³³ S. Chapeland,⁷ J. L. Charvet,³⁷ S. Chattopadhy
 B. Cheynis,⁶⁹ E. Chiavassa,¹⁵ V. Chibante Barroso,⁷
 P. Christakoglou,⁷¹ C. H. Christensen,⁴⁵ P. Christiansen,⁷
 J. Cleymans,⁶⁵ F. Coccetti,³⁶ J.-P. Coffin,⁴⁶ S. Coli,¹⁵
 P. Constantin,⁶⁴ G. Contin,⁶¹ J. G. Contreras,⁷⁵ T. M. Cor
 P. Cortese,⁷⁷ M. R. Cosentino,⁷⁰ F. Costa,⁷ M. E. Cotallo,⁵³ l
 G. D. Erasmo,¹⁹ A. Dainese,^{79,l} H. H. Dalsgaard,⁴⁵ A. Dan
 S. De,¹⁰ A. De Azevedo Moregula,⁵⁰ G. O. V. de Barros
 A. De Falco,⁸⁵ D. De Gruttola,⁸³ N. De Marco,¹⁵ S. De Pas
 E. Del Castillo Sanchez,⁷ H. Delagrange,²⁸ Y. Delgado M
 E. Dénes,⁸ A. Deppman,⁸² D. Di Bari,¹⁹ C. Di Giglio,¹⁹ S.
 R. Divià,⁷ Ø. Djuvsland,¹ A. Dobrin,^{47,m} T. Dobrowolski,⁸⁶
 A. K. Dubey,¹⁰ J. Dubuisson,⁷ L. Ducroux,⁶⁹ P. Dupieux,
 D. Elia,⁸⁴ D. Emschermann,⁴³ H. Engel,²³ H. A. Erdal,⁸⁸ l
 S. Evrard,⁷ G. Eyyubova,⁶⁰ C. W. Fabjan,^{7,n} D. Fabris,⁸⁹
 R. Fearick,⁶⁵ A. Fedunov,⁴⁴ D. Fehlker,¹ V. Fekete,⁶² D. Fel
 R. Ferretti,^{77,o} J. Figiel,⁴² M. A. S. Figueredo,⁸² S. Fil
 E. M. Fiore,¹⁹ M. Floris,⁷ S. Foertsch,⁶⁵ P. Foka,²⁰ S. Fokin,¹
 U. Fuchs,⁷ F. Furano,⁷ C. Furget,³⁰ M. Fusco Girard,⁸³ J. J
 M. Gallio,³⁵ D. R. Gangadharan,²⁴ P. Ganoti,^{92,p} M. S. Ga
 R. Gemme,⁷⁷ J. Gerhard,¹⁸ M. Germain,²⁸ C. Geuna,³⁷
 P. Gianotti,⁵⁰ M. R. Girard,⁹⁴ G. Giraudo,¹⁵ P. Giubellino
 E. G. Ferreira,³¹ H. González Santos,⁷⁶ L. H. González
 S. Gotovac,⁹⁶ V. Grabski,⁹ R. Grajcarek,⁶⁴ A. Grelli,⁷¹ A. C
 S. Grigoryan,⁴⁴ B. Grinyov,¹⁷ N. Grion,⁹¹ P. Gros,⁷² J. F.
 F. Guber,⁹⁰ R. Guernane,³⁰ C. Guerra Gutierrez,⁶⁷ B. G
 R. Gupta,⁴⁹ H. Gutbrod,²⁰ Ø. Haaland,¹ C. Hadjidakis,⁵⁹ M
 M. Hartig,²⁹ D. Hasch,⁵⁰ D. Hasegan,⁸⁰ D. Hatzifotia
 H. Helstrup,⁸⁸ A. Herghelegiu,²² C. Hernández,²⁰ G. Herre
 P. T. Hille,⁵ B. Hippolyte,⁴⁶ T. Horaguchi,⁷³ Y. Hori,⁹⁸ l
 T. J. Humanic,²⁴ D. S. Hwang,⁹⁹ R. Ichou,²⁸ R. Ilkaev,⁶³
 P. G. Innocenti,⁷ M. Ippolitov,¹⁴ M. Irfan,¹¹ C. Ivan,²⁰ A.
 P. M. Jacobs,¹⁰⁰ L. Jancurová,⁴⁴ S. Jangal,⁴⁶ R. Janik,⁶
 P. Jovanović,⁴¹ H. Jung,¹² W. Jung,¹² A. Jusko,⁴¹ S. Kal
 A. Kalweit,¹⁰² R. Kamermans,^{71,a} K. Kanaki,¹ E. Ka
 T. Karavicheva,⁹⁰ E. Karpechev,⁹⁰ A. Kazantsev,¹⁴ U. Ka
 A. Khanzadeev,⁴⁸ Y. Kharlov,⁵⁶ B. Kileng,⁸⁸ D. J. Kim,³³
 J. S. Kim,¹² M. Kim,¹² M. Kim,¹⁰³ S. Kim,⁹⁹ S. H. Kim
 J. L. Klay,¹⁰⁵ J. Klein,⁶⁴ C. Klein-Bösing,⁴³ M. Kliemant,²⁵
 M. K. Köhler,²⁰ R. Kolevatov,⁶⁰ A. Kolojvari,²¹ V. Kondra
 C. Kottachchi Kankanamge Don,⁴⁷ R. Kour,⁴¹ M. Kow
 K. Kozlov,¹⁴ J. Kral,³³ I. Králik,³⁹ F. Kramer,²⁹ I. Kraus
 F. Krizek,³³ D. Krumbhorn,⁶⁴ M. Krus,⁵¹ E. Kryshen,⁴⁸ M.
 P. Kurashvili,⁸⁶ A. Kurepin,⁹⁰ A. B. Kurepin,⁹⁰ A. Kuryakin
 P. La Rocca,⁴⁰ P. Ladrón de Guevara,^{53,w} V. Lafage,⁵⁹ C.
 Y. Le Bornec,⁵⁹ R. Lea,⁶¹ K. S. Lee,¹² S. C. Lee,¹² F. Lefèvre

S. Bose,⁵⁸ F. Bossú,³⁵ M. Botje,⁵² S. Böttger,²³ B. Boyer,⁵⁹
^{61,h} T. Breitner,²³ M. Broz,⁶² R. Brun,⁷ E. Bruna,⁵ G. E. Bruno,¹⁹
 O. Busch,⁶⁴ Z. Buthelezi,⁶⁵ D. Caffarri,²⁶ X. Cai,⁶⁶ H. Caines,⁵
 nan,^{7,i} G. Cara Romeo,²⁷ F. Carena,⁷ W. Carena,⁷ F. Carminati,⁷
 ellanos,³⁷ V. Catanescu,²² C. Cavicchioli,⁷ J. Cepila,⁵¹ P. Cerello,¹⁵
 hattopadhyay,⁵⁸ S. Chattopadhyay,¹⁰ M. Cherney,⁶⁸ C. Cheshkov,⁶⁹
 Barroso,⁷ D. D. Chinellato,⁷⁰ P. Chochula,⁷ M. Chojnacki,⁷¹
 istiansen,⁷² T. Chujo,⁷³ C. Cicalo,⁷⁴ L. Cifarelli,¹⁶ F. Cindolo,²⁷
⁵ S. Coli,¹⁵ G. Conesa Balbastre,^{50,j} Z. Conesa del Valle,^{28,k}
 T. M. Cormier,⁴⁷ Y. Corrales Morales,³⁵ I. Cortés Maldonado,⁷⁶
 Cotallo,⁵³ E. Crescio,⁷⁵ P. Crochet,³⁸ E. Cuautle,⁷⁸ L. Cunqueiro,⁵⁰
⁴⁵ A. Danu,⁸⁰ D. Das,⁵⁸ I. Das,⁵⁸ K. Das,⁵⁸ A. Dash,⁸¹ S. Dash,¹⁵
 de Barros,⁸² A. De Caro,⁸³ G. de Cataldo,⁸⁴ J. de Cuveland,¹⁸
 S. De Pasquale,⁸³ R. De Remigis,¹⁵ R. de Rooij,⁷¹ P. R. Debski,⁸⁶
 Delgado Mercado,⁶⁷ G. Dellacasa,^{77,a} A. Deloff,⁸⁶ V. Demanov,⁶³
 iglio,¹⁹ S. Di Liberto,⁸⁷ A. Di Mauro,⁷ P. Di Nezza,⁵⁰ T. Dietel,⁴³
 owolski,⁸⁶ I. Domínguez,⁷⁸ B. Dönigus,²⁰ O. Dordic,⁶⁰ O. Driga,²⁸
 P. Dupieux,³⁸ A. K. Dutta Majumdar,⁵⁸ M. R. Dutta Majumdar,¹⁰
 . Erdal,⁸⁸ B. Espagnon,⁵⁹ M. Estienne,²⁸ S. Esumi,⁷³ D. Evans,⁴¹
 D. Fabris,⁸⁹ J. Faivre,³⁰ D. Falchieri,¹⁶ A. Fantoni,⁵⁰ M. Fasel,²⁰
 te,⁶² D. Felea,⁸⁰ G. Feofilov,²¹ A. Fernández Téllez,⁷⁶ A. Ferretti,³⁵
 do,⁸² S. Filchagin,⁶³ R. Fini,⁸⁴ D. Finogeev,⁹⁰ F. M. Fionda,¹⁹
⁹ S. Fokin,¹⁴ E. Fragiocomo,⁹¹ M. Fragkiadakis,⁹² U. Frankenfeld,²⁰
 irard,⁸³ J. J. Gaardhøje,⁴⁵ S. Gadrat,³⁰ M. Gagliardi,³⁵ A. Gago,⁶⁷
^P M. S. Ganti,¹⁰ C. Garabatos,²⁰ E. Garcia-Solis,⁹³ I. Garishvili,²
 C. Geuna,³⁷ A. Gheata,⁷ M. Gheata,⁷ B. Ghidini,¹⁹ P. Ghosh,¹⁰
 Giubellino,^{35,q} E. Gladysz-Dziadus,⁴² P. Glässel,⁶⁴ R. Gomez,⁹⁵
 H. González-Trueba,⁹ P. González-Zamora,⁵³ S. Gorbunov,¹⁸
 elli,⁷¹ A. Grigoras,⁷ C. Grigoras,⁷ V. Grigoriev,⁵⁵ A. Grigoryan,⁹⁷
 gros,⁷² J. F. Grosse-Oetringhaus,⁷ J.-Y. Grossiord,⁶⁹ R. Grosso,⁸⁹
 ez,⁶⁷ B. Guerzoni,¹⁶ K. Gulbrandsen,⁴⁵ T. Gunji,⁹⁸ A. Gupta,⁴⁹
 idakis,⁵⁹ M. Haiduc,⁸⁰ H. Hamagaki,⁹⁸ G. Hamar,⁸ J. W. Harris,⁵
 Hatzifotiadou,²⁷ A. Hayrapetyan,^{97,o} M. Heide,⁴³ M. Heinz,⁵
²⁰ G. Herrera Corral,⁷⁵ N. Herrmann,⁶⁴ K. F. Hetland,⁸⁸ B. Hicks,⁵
 Y. Hori,⁹⁸ P. Hristov,⁷ I. Hřivnáčová,⁵⁹ M. Huang,¹ S. Huber,²⁰
 . Ilkaev,⁶³ I. Ilkiv,⁸⁶ M. Inaba,⁷³ E. Incani,⁸⁵ G. M. Innocenti,³⁵
 Ivan,²⁰ A. Ivanov,²¹ M. Ivanov,²⁰ V. Ivanov,⁴⁸ A. Jacholkowski,⁷
 R. Janik,⁶² S. Jena,¹⁰¹ L. Jirden,⁷ G. T. Jones,⁴¹ P. G. Jones,⁴¹
 o,⁴¹ S. Kalcher,¹⁸ P. Kaliňák,³⁹ M. Kalisky,⁴³ T. Kalliokoski,³³
 ki,¹ E. Kang,¹² J. H. Kang,¹⁰³ V. Kaplin,⁵⁵ O. Karavichev,⁹⁰
 ev,¹⁴ U. Kebschull,²³ R. Keidel,¹⁰⁴ M. M. Khan,¹¹ S. A. Khan,¹⁰
 D. J. Kim,³³ D. S. Kim,¹² D. W. Kim,¹² H. N. Kim,¹² J. H. Kim,⁹⁹
² S. H. Kim,¹² S. Kirsch,^{7,r} I. Kisel,^{23,s} S. Kiselev,¹³ A. Kisiel,⁷
 Kliemant,²⁹ A. Klovning,¹ A. Kluge,⁷ M. L. Knichel,²⁰ K. Koch,⁶⁴
 V. Kondratiev,²¹ N. Kondratyeva,⁵⁵ A. Konevskih,⁹⁰ E. Kornaś,⁴²
⁴¹ M. Kowalski,⁴² S. Kox,³⁰ G. Koyithatta Meethalevedu,¹⁰¹
²⁹ I. Kraus,^{102,t} T. Krawutschke,^{64,u} M. Kretz,¹⁸ M. Krivda,^{41,v}
 hen,⁴⁸ M. Krzewicki,⁵² Y. Kucheriaev,¹⁴ C. Kuhn,⁴⁶ P. G. Kuijer,⁵²
 . Kuryakin,⁶³ S. Kushpil,⁴ V. Kushpil,⁴ M. J. Kweon,⁶⁴ Y. Kwon,¹⁰³
 afage,⁵⁹ C. Lara,²³ A. Lardeux,²⁸ D. T. Larsen,¹ C. Lazzeroni,⁴¹
² F. Lefèvre,²⁸ J. Lehnert,²⁹ L. Leistam,⁷ M. Lenhardt,²⁸ V. Lenti,⁸⁴

- I. León Monzón,⁹⁵ H. León Vargas,²⁹ P. Lévai,⁸ X. Li,¹⁰⁰
 C. Lippmann,^{7,t} M. A. Lisa,²⁴ L. Liu,¹ P. I. Loenne,¹ V.
 K. K. Loo,³³ X. Lopez,³⁸ M. López Noriega,⁵⁹ E. López
 M. Lunardon,²⁶ G. Luparello,³⁵ L. Luquin,²⁸ C. Luzz
 A. Maevskaya,⁹⁰ M. Mager,⁷ D. P. Mahapatra,⁸
 I. Maldonado Cervantes,⁷⁸ L. Malinina,^{44,x} P. Malzac
 V. Manko,¹⁴ F. Manso,³⁸ V. Manzari,⁸⁴ Y. Mao,^{66,y} J. Ma
 C. Markert,¹⁰⁸ I. Martashvili,¹⁰⁹ P. Martinengo,⁷ M. I. M
 Y. Martynov,¹⁷ S. Masciocchi,²⁰ M. Masera,³⁵ A. Masoni
 Z. L. Matthews,⁴¹ A. Matyja,²⁸ D. Mayani,⁷⁸ C. Ma
 A. Menchaca-Rocha,⁹ P. Mendez Lorenzo,⁷ I. Menis,⁹² J
 J. Midori,¹¹¹ L. Milano,³⁵ J. Milosevic,^{60,z} A. Mischke,⁷¹ D
 B. Mohanty,¹⁰ L. Molnar,⁷ L. Montaña Zetina,⁷
 D. A. Moreira De Godoy,⁸² S. Moretto,²⁶ A. Morsch,⁷ v
 M. G. Munhoz,⁸² J. Munoz,⁷⁶ L. Musa,⁷ A. Musso,¹⁵ E
 F. Navach,¹⁹ S. Navin,⁴¹ T. K. Nayak,¹⁰ S. Nazarenko,⁶³
 M. Nicassio,¹⁹ B. S. Nielsen,⁴⁵ T. Niida,⁷³ S. Nikolaev,¹⁴
 M. S. Nilsson,⁶⁰ F. Noferini,²⁷ G. Nooren,⁷¹ N. Novitzky,³
 H. Obayashi,¹¹¹ A. Ochirov,²¹ H. Oeschler,¹⁰² S. K. Oh,¹
 G. Ortona,³⁵ A. Oskarsson,⁷² P. Ostrowski,⁹⁴ I. Otter
 Y. Pachmayer,⁶⁴ M. Pachr,⁵¹ F. Padilla,³⁵ P. Pagano,⁸³ S
 S. Pal,³⁷ S. K. Pal,¹⁰ A. Palaha,⁴¹ A. Palmeri,³⁴ G. S. Pap
 A. Pavlinov,⁴⁷ T. Pawlak,⁹⁴ T. Peitzmann,⁷¹ D. Peresunko,
 A. Pesci,²⁷ V. Peskov,⁷ Y. Pestov,¹¹² A. J. Peters,⁷ V. Petráč
 C. Petta,⁴⁰ S. Piano,⁹¹ A. Piccotti,¹⁵ M. Pikna,⁶² P. P
 D. B. Piyaarathna,^{47,bb} R. Platt,⁴¹ M. Płoskoń,¹⁰⁰
 P. L. M. Podesta-Lerma,⁹⁵ M. G. Poghosyan,³⁵ K. Pol
 V. Pospíšil,⁵¹ B. Potukuchi,⁴⁹ S. K. Prasad,^{47,dd} R. Pregar
 G. Puddu,⁸⁵ A. Pulvirenti,⁴⁰ V. Punin,⁶³ M. Putiš,⁵⁷ J. P
 A. Rademakers,⁷ O. Rademakers,⁷ S. Radomski,⁶⁴ T. S. R
 A. Ramírez Reyes,⁷⁵ M. Rammner,⁴³ R. Raniwala,¹¹³ S.
 K. Redlich,⁸⁶ R. Renfordt,²⁹ A. R. Reolon,⁵⁰ A. Reshetin
 L. Riccati,¹⁵ R. A. Ricci,⁷⁹ M. Richter,^{1,ee} P. Riedler,⁷ W. R
 D. Röhrich,¹ R. Romita,²⁰ F. Ronchetti,⁵⁰ P. Rosinský,⁷ F
 S. Rousseau,⁵⁹ C. Roy,^{28,k} P. Roy,⁵⁸ A. J. Rubio Montero
 A. Rybicki,⁴² S. Sadovsky,⁵⁶ K. Šafařík,⁷ R. Sahoo,²⁶ P
 C. A. Salgado,³¹ T. Samanta,¹⁰ S. Sambyal,⁴⁹ V. Samsor
 M. Sano,⁷³ S. Sano,⁹⁸ R. Santo,⁴³ R. Santoro,⁸⁴ J. Sarka
 R. P. Scharenberg,¹¹⁴ C. Schiaua,²² R. Schicker,⁶⁴ C. Schr
 J. Schukraft,⁷ Y. Schutz,²⁸ K. Schwarz,²⁰ K. Schweda,⁶⁴
 G. Segato,²⁶ I. Selyuzhenkov,²⁰ S. Senyukov,⁷⁷ J. Seo,¹
 G. Shabratova,⁴⁴ R. Shahoyan,⁷ N. Sharma,⁶ S. Sharma,⁴⁹ I
 M. Siciliano,³⁵ E. Sicking,⁷ T. Siemiarczuk,⁸⁶ A. Siler
 R. Singh,⁴⁹ V. Singhal,¹⁰ B. C. Sinha,¹⁰ T. Sinha,⁵⁸ B. Sita
 N. Smirnov,⁵ R. Snellings,^{52,gg} C. Søgaaard,⁴⁵ A. Soloviev,
 F. Soramel,²⁶ M. Spyropoulou-Stassinaki,⁹² B. K. Srivasta
 T. Steinbeck,^{23,s} M. Steinpreis,²⁴ E. Stenlund,⁷² G. S
 M. Stolpovskiy,⁵⁶ P. Strmen,⁶² A. A. P. Suaide,⁸² M
 M. Sukhorukov,⁶³ M. Šumbera,⁴ T. Susa,²⁵ D. Swoboda,⁷
 A. Szostak,¹ C. Tagridis,⁹² J. Takahashi,⁷⁰ J. D. Tapia
 A. Telesca,⁷ C. Terrevoli,¹⁹ J. Thäder,²⁰ D. Thomas,⁷¹ J. H

- X. Li,¹⁰⁶ J. Lien,¹ R. Lietava,⁴¹ S. Lindal,⁶⁰ V. Lindenstruth,^{23,s}
 Anne,¹ V.R. Loggins,⁴⁷ V. Loginov,⁵⁵ S. Lohn,⁷ C. Loizides,¹⁰⁰
⁹ E. López Torres,³ G. Løvholden,⁶⁰ X.-G. Lu,⁶⁴ P. Luettig,²⁹
 C. Luzzi,⁷ K. Ma,⁶⁶ R. Ma,⁵ D.M. Madagadahettige-Don,⁵⁴
 Chapatra,⁸¹ A. Maire,⁴⁶ D. Mal'Kevich,¹³ M. Malaev,⁴⁸
 Malzacher,²⁰ A. Mamonov,⁶³ L. Manceau,³⁸ L. Mangotra,⁴⁹
^{6,y} J. Mareš,¹⁰⁷ G.V. Margagliotti,⁶¹ A. Margotti,²⁷ A. Marín,²⁰
 M.I. Martínez,⁷⁶ A. Martínez Davalos,⁹ G. Martínez García,²⁸
 Masoni,⁷⁴ L. Massacrier,⁶⁹ M. Mastromarco,⁸⁴ A. Mastroserio,⁷
⁷⁸ C. Mayer,⁴² G. Mazza,¹⁵ M.A. Mazzoni,⁸⁷ F. Meddi,¹¹⁰
 enis,⁹² J. Mercado Pérez,⁶⁴ M. Meres,⁶² P. Mereu,¹⁵ Y. Miake,⁷³
 hke,⁷¹ D. Miśkowiec,^{20,q} C. Mitu,⁸⁰ J. Mlynarz,⁴⁷ A.K. Mohanty,⁷
 Zetina,⁷⁵ M. Monteno,¹⁵ E. Montes,⁵³ M. Morando,²⁶
 orsch,⁷ V. Muccifora,⁵⁰ E. Mudnic,⁹⁶ S. Muhuri,¹⁰ H. Müller,⁷
 usso,¹⁵ B.K. Nandi,¹⁰¹ R. Nania,²⁷ E. Nappi,⁸⁴ C. Nattrass,¹⁰⁹
 enko,⁶³ G. Nazarov,⁶³ A. Nedosekin,¹³ F. Nendaz,⁶⁹ J. Newby,²
 kolaev,¹⁴ V. Nikolic,²⁵ S. Nikulin,¹⁴ V. Nikulin,⁴⁸ B.S. Nilsen,⁶⁸
 ovitzky,³³ A. Nyanin,¹⁴ A. Nyatha,¹⁰¹ C. Nygaard,⁴⁵ J. Nystrand,¹
 K. Oh,¹² J. Oleniacz,⁹⁴ C. Oppedisano,¹⁵ A. Ortiz Velasquez,⁷⁸
⁴ I. Otterlund,⁷² J. Otwinowski,²⁰ K. Oyama,⁶⁴ K. Ozawa,⁹⁸
 ano,⁸³ S.P. Jayarathna,^{54,aa} G. Paic,⁷⁸ F. Painke,¹⁸ C. Pajares,³¹
 G.S. Pappalardo,³⁴ W.J. Park,²⁰ D.I. Patalakha,⁵⁶ V. Paticchio,⁸⁴
 esunko,¹⁴ C.E. Pérez Lara,⁵² D. Perini,⁷ D. Perrino,¹⁹ W. Peryt,⁹⁴
 V. Petráček,⁵¹ M. Petran,⁵¹ M. Petris,²² P. Petrov,⁴¹ M. Petrovici,²²
 a,⁶² P. Pillot,²⁸ O. Pinazza,⁷ L. Pinsky,⁵⁴ N. Pitz,²⁹ F. Piuze,⁷
 oskoń,¹⁰⁰ J. Pluta,⁹⁴ T. Pocheptsov,^{44,cc} S. Pochybova,⁸
⁵ K. Polák,¹⁰⁷ B. Polichtchouk,⁵⁶ A. Pop,²² S. Porteboeuf,³⁸
 R. Preghenella,³⁶ F. Prino,¹⁵ C.A. Pruneau,⁴⁷ I. Pshenichnov,⁹⁰
 š,⁵⁷ J. Putschke,⁵ E. Quercigh,⁷ H. Qvigstad,⁶⁰ A. Rachevski,⁹¹
⁶⁴ T.S. Rähä,³³ J. Rak,³³ A. Rakotozafindrabe,³⁷ L. Ramello,⁷⁷
 la,¹¹³ S. Raniwala,¹¹³ S.S. Räsänen,³³ K.F. Read,¹⁰⁹ J. Real,³⁰
 Reshetin,⁹⁰ F. Rettig,¹⁸ J.-P. Revol,⁷ K. Reygers,⁶⁴ H. Ricaud,¹⁰²
 er,⁷ W. Riegler,⁷ F. Riggi,⁴⁰ M. Rodríguez Cahuantzi,⁷⁶ D. Rohr,¹⁸
 inský,⁷ P. Rosnet,³⁸ S. Rossegger,⁷ A. Rossi,²⁶ F. Roukoutakis,⁹²
 Montero,⁵³ R. Rui,⁶¹ A. Rivetti,¹⁵ I. Rusanov,⁷ E. Ryabinkin,¹⁴
 oo,²⁶ P.K. Sahu,⁸¹ J. Saini,¹⁰ P. Saiz,⁷ S. Sakai,¹⁰⁰ D. Sakata,⁷³
 Samsonov,⁴⁸ X. Sanchez Castro,⁷⁸ L. Šándor,³⁹ A. Sandoval,⁹
 J. Sarkamo,³³ P. Saturnini,³⁸ E. Scapparone,²⁷ F. Scarlassara,²⁶
 C. Schmidt,²⁰ H.R. Schmidt,²⁰ S. Schreiner,⁷ S. Schuchmann,²⁹
 weda,⁶⁴ G. Scioli,¹⁶ E. Scomparin,¹⁵ P.A. Scott,⁴¹ R. Scott,¹⁰⁹
 J. Seo,¹² S. Serici,⁸⁵ E. Serradilla,⁵³ A. Sevcenco,⁸⁰ I. Sgura,⁸⁴
 arma,⁴⁹ K. Shigaki,¹¹¹ M. Shimomura,⁷³ K. Shtejer,³ Y. Sibiriyak,¹⁴
 A. Silenzi,¹⁶ D. Silvermyr,³² G. Simonetti,^{7,ff} R. Singaraju,¹⁰
⁸ B. Sitar,⁶² M. Sitta,⁷⁷ T.B. Skaali,⁶⁰ K. Skjerdal,¹ R. Smakal,⁵¹
 Soloviev,⁵⁶ R. Soltz,² H. Son,⁹⁹ J. Song,¹¹⁵ M. Song,¹⁰³ C. Soos,⁷
 Srivastava,¹¹⁴ J. Stachel,⁶⁴ I. Stan,⁸⁰ G. Stefanek,⁸⁶ G. Stefanini,⁷
 d,⁷² G. Steyn,⁶⁵ D. Stocco,²⁸ R. Stock,²⁹ C.H. Stokkevag,¹
 ide,⁸² M.A. Subieta Vásquez,³⁵ T. Sugitate,¹¹¹ C. Suire,⁵⁹
 voboda,⁷ T.J.M. Symons,¹⁰⁰ A. Szanto de Toledo,⁸² I. Szarka,⁶²
 O. Tapia Takaki,⁵⁹ A. Tauro,⁷ M. Tavlet,⁷ G. Tejeda Muñoz,⁷⁶
 s,⁷¹ J.H. Thomas,²⁰ R. Tieulent,⁶⁹ A.R. Timmins,^{47,f} D. Tlusty,⁵¹

A. Toia,⁷ H. Torii,¹¹¹ L. Toscano,⁷ F. Tosello,¹⁵ T. Tra
 A. Tumkin,⁶³ R. Turrisi,⁸⁹ A. J. Turvey,⁶⁸ T. S. Tveter
 G. M. Urciuoli,⁸⁷ G. L. Usai,⁸⁵ A. Vacchi,⁹¹ M. Vajzer,
 N. van der Kolk,⁵² M. van Leeuwen,⁷¹ P. Vande Vyvre,⁷ L
 A. Vasiliev,¹⁴ V. Vechernin,²¹ M. Veldhoen,⁷¹ M. Venaru
 R. Vernet,¹¹⁶ M. Verweij,⁷¹ L. Vickovic,⁹⁶ G. Viesti,²⁶ O.
 A. Vinogradov,¹⁴ L. Vinogradov,²¹ Y. Vinogradov,⁶³ T. Vi
 S. Voloshin,⁴⁷ G. Volpe,¹⁹ B. von Haller,⁷ D. Vranic,²⁰ G. V
 B. Wagner,¹ V. Wagner,⁵¹ R. Wan,^{46,ii} D. Wang,⁶⁶ Y. V
 U. Westerhoff,⁴³ J. Wiechula,⁶⁴ J. Wikne,⁶⁰ M. Wilde,⁴³ A. V
 L. Xaplanteris Karampatsos,¹⁰⁸ H. Yang,³⁷ S. Yang,¹ S.
 I.-K. Yoo,¹¹⁵ W. Yu,²⁹ X. Yuan,⁶⁶ I. Yushmanov,¹⁴ E. Za
 A. Zarochentsev,²¹ P. Závada,¹⁰⁷ N. Zaviyalov,⁶³ H. Zbroszc
 X. Zhang,^{66,b} D. Zhou,⁶⁶ A. Zichichi,^{16,jj} G. Zin

(ALICE Collabo

¹Department of Physics and Technology, Un

²Lawrence Livermore National Laborato

³Centro de Aplicaciones Tecnológicas y Desarro

⁴Nuclear Physics Institute, Academy of Sciences of the

⁵Yale University, New Haven

⁶Physics Department, Panjab Univ

⁷European Organization for Nuclear Resea

⁸KFKI Research Institute for Particle and Nuclear Physics, H

⁹Instituto de Física, Universidad Nacional Autó

¹⁰Variable Energy Cyclotron C

¹¹Department of Physics Aligarh Musl

¹²Gangneung-Wonju National Univers

¹³Institute for Theoretical and Experime

¹⁴Russian Research Centre Kurchato

¹⁵Sezione INFN, Tu

¹⁶Dipartimento di Fisica dell'Università a

¹⁷Bogolyubov Institute for Theoretic

¹⁸Frankfurt Institute for Advanced Studies, Johann Wolfgang

¹⁹Dipartimento Interateneo di Fisica "M. Me

²⁰Research Division and ExtreMe Matter Institute EMMI, GSI Helmho

²¹V. Fock Institute for Physics, St. Petersburg S

²²National Institute for Physics and Nuclear

²³Kirchhoff-Institut für Physik, Ruprecht-Karls-Univ

²⁴Department of Physics, Ohio State Un

²⁵Rudjer Bošković Institute

²⁶Dipartimento di Fisica dell'Università a

²⁷Sezione INFN, Bol

²⁸SUBATECH, Ecole des Mines de Nantes, Universit

²⁹Institut für Kernphysik, Johann Wolfgang Goethe-

³⁰Laboratoire de Physique Subatomique et de Cosmologie (

Institut Polytechnique de Greno

³¹Departamento de Física de Partículas and IGFAE, Universidad de

³²Oak Ridge National Laboratory, C

³³Helsinki Institute of Physics (HIP) and Unive

³⁴Sezione INFN, Car

³⁵Dipartimento di Fisica Sperimentale dell'Univ

³⁶Centro Fermi - Centro Studi e Ricerche e Museo Stor

³⁷Commissariat à l'Energie Atomiqu

³⁸Laboratoire de Physique Corpusculaire (LPC), Cle

CNRS-IN2P3, Clermont-F

o,¹⁵ T. Traczyk,⁹⁴ D. Truesdale,²⁴ W. H. Trzaska,³³ T. Tsuji,⁹⁸
 C. S. Tveter,⁶⁰ J. Ulery,²⁹ K. Ullaland,¹ A. Uras,⁸⁵ J. Urbán,⁵⁷
 M. Vajzer,⁵¹ M. Vala,^{44,v} L. Valencia Palomo,^{9,hh} S. Vallero,⁶⁴
 V. Vayvre,⁷ L. Vannucci,⁷⁹ A. Vargas,⁷⁶ R. Varma,¹⁰¹ M. Vasileiou,⁹²
 M. Venaruzzo,⁶¹ E. Vercellin,³⁵ S. Vergara,⁷⁶ D. C. Vernekohl,⁴³
 Viesti,²⁶ O. Vikhlyantsev,⁶³ Z. Vilakazi,⁶⁵ O. Villalobos Baillie,⁴¹
 ov,⁶³ T. Virgili,⁸³ Y. P. Viyogi,¹⁰ A. Vodopyanov,⁴⁴ K. Voloshin,¹³
 anic,²⁰ G. Øvrebekk,¹ J. Vrláková,⁵⁷ B. Vulpescu,³⁸ A. Vyushin,⁶³
 ang,⁶⁶ Y. Wang,⁶⁴ Y. Wang,⁶⁶ K. Watanabe,⁷³ J. P. Wessels,⁴³
 ilde,⁴³ A. Wilk,⁴³ G. Wilk,⁸⁶ M. C. S. Williams,²⁷ B. Windelband,⁶⁴
 . Yang,¹ S. Yasnopolskiy,¹⁴ J. Yi,¹¹⁵ Z. Yin,⁶⁶ H. Yokoyama,⁷³
 ov,¹⁴ E. Zabrodin,⁶⁰ C. Zach,⁵¹ C. Zampolli,⁷ S. Zaporozhets,⁴⁴
 H. Zbroszczyk,⁹⁴ P. Zelniczek,²³ A. Zenin,⁵⁶ I. Zgura,⁸⁰ M. Zhalov,⁴⁸
 ,^{16,jj} G. Zinovjev,¹⁷ Y. Zoccarato,⁶⁹ and M. Zynovyev¹⁷

(LHC Collaboration)

Technology, University of Bergen, Bergen, Norway

al Laboratory, Livermore, California, USA

s y Desarrollo Nuclear (CEADEN), Havana, Cuba

nces of the Czech Republic, Řež u Prahy, Czech Republic

New Haven, Connecticut, USA

Panjab University, Chandigarh, India

nuclear Research (CERN), Geneva, Switzerland

r Physics, Hungarian Academy of Sciences, Budapest, Hungary

cional Autónoma de México, Mexico City, Mexico

Cyclotron Centre, Kolkata, India

igarh Muslim University, Aligarh, India

nal University, Gangneung, South Korea

ad Experimental Physics, Moscow, Russia

re Kurchatov Institute, Moscow, Russia

ne INFN, Turin, Italy

Università and Sezione INFN, Bologna, Italy

or Theoretical Physics, Kiev, Ukraine

n Wolfgang Goethe-Universität Frankfurt, Frankfurt, Germany

ica “M. Merlin” and Sezione INFN, Bari, Italy

GSI Helmholtzzentrum für Schwerionenforschung, Darmstadt, Germany

etersburg State University, St. Petersburg, Russia

and Nuclear Engineering, Bucharest, Romania

-Karls-Universität Heidelberg, Heidelberg, Germany

io State University, Columbus, Ohio, USA

vić Institute, Zagreb, Croatia

Università and Sezione INFN, Padova, Italy

e INFN, Bologna, Italy

s, Université de Nantes, CNRS-IN2P3, Nantes, France

ng Goethe-Universität Frankfurt, Frankfurt, Germany

Cosmologie (LPSC), Université Joseph Fourier, CNRS-IN2P3,

de Grenoble, Grenoble, France

iversidad de Santiago de Compostela, Santiago de Compostela, Spain

laboratory, Oak Ridge, Tennessee, USA

o and University of Jyväskylä, Jyväskylä, Finland

e INFN, Catania, Italy

le dell’Università and Sezione INFN, Turin, Italy

Museo Storico della Fisica “Enrico Fermi”, Rome, Italy

rgie Atomique, IRFU, Saclay, France

(LPC), Clermont Université, Université Blaise Pascal,

Clermont-Ferrand, France

- ³⁹*Institute of Experimental Physics, Slovak Academy of Sciences, Bratislava, Slovakia*
- ⁴⁰*Dipartimento di Fisica e Astronomia dell'Università di Padova, Padova, Italy*
- ⁴¹*School of Physics and Astronomy, University of Manchester, Manchester, United Kingdom*
- ⁴²*The Henryk Niewodniczanski Institute of Nuclear Physics, Cracow, Poland*
- ⁴³*Institut für Kernphysik, Westfälische Wilhelms-Universität Münster, Münster, Germany*
- ⁴⁴*Joint Institute for Nuclear Research, Dubna, Moscow Region, Russia*
- ⁴⁵*Niels Bohr Institute, University of Copenhagen, Copenhagen, Denmark*
- ⁴⁶*Institut Pluridisciplinaire Hubert Curien (IPHC), University of Strasbourg, Strasbourg, France*
- ⁴⁷*Wayne State University, Detroit, Michigan, USA*
- ⁴⁸*Petersburg Nuclear Physics Institute, St. Petersburg, Russia*
- ⁴⁹*Physics Department, University of Illinois at Chicago, Chicago, Illinois, USA*
- ⁵⁰*Laboratori Nazionali di Frascati, Frascati, Italy*
- ⁵¹*Faculty of Nuclear Sciences and Physical Engineering, Czech Technical University in Prague, Prague, Czech Republic*
- ⁵²*Nikhef, National Institute for Subatomic Physics, Amsterdam, The Netherlands*
- ⁵³*Centro de Investigaciones Energéticas Medioambientales y Nucleares (CIEMAT), Madrid, Spain*
- ⁵⁴*University of Houston, Houston, Texas, USA*
- ⁵⁵*Moscow Engineering Physics Institute, Moscow, Russia*
- ⁵⁶*Institute for High Energy Physics, Serpukhov, Moscow Region, Russia*
- ⁵⁷*Faculty of Science, P. J. Šafárik University in Košice, Košice, Slovakia*
- ⁵⁸*Saha Institute of Nuclear Physics, Kolkata, India*
- ⁵⁹*Institut de Physique Nucléaire d'Orsay (IPNO), University of Paris-Saclay, Orsay, France*
- ⁶⁰*Department of Physics, University of Wisconsin-Madison, Madison, Wisconsin, USA*
- ⁶¹*Dipartimento di Fisica dell'Università di Pisa, Pisa, Italy*
- ⁶²*Faculty of Mathematics, Physics and Informatics, University of Wrocław, Wrocław, Poland*
- ⁶³*Russian Federal Nuclear Center - VNIIE, Moscow, Russia*
- ⁶⁴*Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg, Germany*
- ⁶⁵*Physics Department, University of Cape Town, Rondebosch, South Africa*
- ⁶⁶*Hua-Zhong Normal University, Zhengzhou, China*
- ⁶⁷*Sección Física, Departamento de Ciencias, Pontificia Universidad Católica de Chile, Santiago, Chile*
- ⁶⁸*Physics Department, Creighton University, Omaha, Nebraska, USA*
- ⁶⁹*Université de Lyon, Université Lyon 1, CNRS, Lyon, France*
- ⁷⁰*Universidade Estadual de Campinas, Campinas, Brazil*
- ⁷¹*Nikhef, National Institute for Subatomic Physics and Institute for Science and Technology, Amsterdam, The Netherlands*
- ⁷²*Division of Experimental High Energy Physics, KEK, Tsukuba, Japan*
- ⁷³*University of Tsukuba, Tsukuba, Japan*
- ⁷⁴*Sezione INFN, Cagliari, Italy*
- ⁷⁵*Centro de Investigación y de Estudios Avanzados (CONICAT), Cancun, Mexico*
- ⁷⁶*Benemérita Universidad Autónoma de Puebla, Puebla, Mexico*
- ⁷⁷*Dipartimento di Scienze e Tecnologie Avanzate dell'Università del Piemonte Orientale, Alessandria, Italy*
- ⁷⁸*Instituto de Ciencias Nucleares, Universidad Nacional Autónoma de México, Mexico City, Mexico*
- ⁷⁹*Laboratori Nazionali di Legnaro, Legnaro, Italy*
- ⁸⁰*Institute of Space Sciences (ISS), Cluj-Napoca, Romania*
- ⁸¹*Institute of Physics, Bhubaneswar, India*
- ⁸²*Universidade de São Paulo (USP), São Carlos, Brazil*
- ⁸³*Dipartimento di Fisica "E. R. Caianiello" dell'Università del Salento, Lecce, Italy*
- ⁸⁴*Sezione INFN, Lecce, Italy*
- ⁸⁵*Dipartimento di Fisica dell'Università di Trieste, Trieste, Italy*
- ⁸⁶*Soltan Institute for Nuclear Studies, Swierk, Poland*
- ⁸⁷*Sezione INFN, Ferrara, Italy*
- ⁸⁸*Faculty of Engineering, Bergen University, Bergen, Norway*
- ⁸⁹*Sezione INFN, Padova, Italy*
- ⁹⁰*Institute for Nuclear Research, Academy of Sciences of the Czech Republic, Řež, Czech Republic*
- ⁹¹*Sezione INFN, Trieste, Italy*
- ⁹²*Physics Department, University of Wisconsin-Madison, Madison, Wisconsin, USA*
- ⁹³*Chicago State University, Chicago, Illinois, USA*
- ⁹⁴*Warsaw University of Technology, Warsaw, Poland*
- ⁹⁵*Universidad Autónoma de Simón Bolívar, Caracas, Venezuela*
- ⁹⁶*Technical University of Split, Split, Croatia*
- ⁹⁷*Yerevan Physics Institute, Yerevan, Armenia*
- ⁹⁸*University of Tokyo, Tokyo, Japan*

Slovak Academy of Sciences, Košice, Slovakia
dell'Università and Sezione INFN, Catania, Italy
University of Birmingham, Birmingham, United Kingdom
Near Physics, Polish Academy of Sciences, Cracow, Poland
Wilhelms-Universität Münster, Münster, Germany
Joint Institute for Nuclear Research (JINR), Dubna, Russia
University of Copenhagen, Copenhagen, Denmark
Université de Strasbourg, CNRS-IN2P3, Strasbourg, France
University, Detroit, Michigan, USA
Physics Institute, Gatchina, Russia
University of Jammu, Jammu, India
di Frascati, INFN, Frascati, Italy
g, Czech Technical University in Prague, Prague, Czech Republic
Subatomic Physics, Amsterdam, Netherlands
ioambientales y Tecnológicas (CIEMAT), Madrid, Spain
Houston, Houston, Texas, USA
Physics Institute, Moscow, Russia
Energy Physics, Protvino, Russia
Šafárik University, Košice, Slovakia
Nuclear Physics, Kolkata, India
NO), Université Paris-Sud, CNRS-IN2P3, Orsay, France
, University of Oslo, Oslo, Norway
Università and Sezione INFN, Trieste, Italy
formatics, Comenius University, Bratislava, Slovakia
ar Center (VNIIEF), Sarov, Russia
rls-Universität Heidelberg, Heidelberg, Germany
Town, iThemba Laboratories, Cape Town, South Africa
nal University, Wuhan, China
, Pontificia Universidad Católica del Perú, Lima, Peru
ton University, Omaha, Nebraska, USA
1, CNRS/IN2P3, IPN-Lyon, Villeurbanne, France
Campinas (UNICAMP), Campinas, Brazil
tute for Subatomic Physics of Utrecht University, Utrecht, Netherlands
ergy Physics, University of Lund, Lund, Sweden
Tsukuba, Tsukuba, Japan
INFN, Cagliari, Italy
azados (CINVESTAV), Mexico City and Mérida, Mexico
Autónoma de Puebla, Puebla, Mexico
Università del Piemonte Orientale and Gruppo Collegato INFN,
ssandria, Italy
ad Nacional Autónoma de México, Mexico City, Mexico
di Legnaro, INFN, Legnaro, Italy
sciences (ISS), Bucharest, Romania
ysics, Bhubaneswar, India
o Paulo (USP), São Paulo, Brazil
ll'Università and Gruppo Collegato INFN, Salerno, Italy
e INFN, Bari, Italy
Università and Sezione INFN, Cagliari, Italy
Nuclear Studies, Warsaw, Poland
INFN, Rome, Italy
gen University College, Bergen, Norway
INFN, Padova, Italy
h, Academy of Sciences, Moscow, Russia
INFN, Trieste, Italy
University of Athens, Athens, Greece
University, Chicago, Illinois, USA
of Technology, Warsaw, Poland
na de Sinaloa, Culiacán, Mexico
ty of Split FESB, Split, Croatia
e Institute, Yerevan, Armenia
of Tokyo, Tokyo, Japan

- ⁹⁹*Department of Physics, Sejong University, Seoul, Korea*
¹⁰⁰*Lawrence Berkeley National Laboratory, Berkeley, California, USA*
¹⁰¹*Indian Institute of Technology, Kanpur, India*
¹⁰²*Institut für Kernphysik, Technische Universität Darmstadt, Darmstadt, Germany*
¹⁰³*Yonsei University, Seoul, Korea*
¹⁰⁴*Zentrum für Technologietransfer und Telekommunikation, Universität Hamburg, Hamburg, Germany*
¹⁰⁵*California Polytechnic State University, San Luis Obispo, California, USA*
¹⁰⁶*China Institute of Atomic Energy, Beijing, China*
¹⁰⁷*Institute of Physics, Academy of Sciences of the Czech Republic, Prague, Czech Republic*
¹⁰⁸*Physics Department, The University of Tennessee, Knoxville, Tennessee, USA*
¹⁰⁹*University of Tennessee, Knoxville, Tennessee, USA*
¹¹⁰*Dipartimento di Fisica dell'Università "La Sapienza", Rome, Italy*
¹¹¹*Hiroshima University, Hiroshima, Japan*
¹¹²*Budker Institute for Nuclear Physics, Novosibirsk, Russia*
¹¹³*Physics Department, University of California, San Diego, California, USA*
¹¹⁴*Purdue University, West Lafayette, Indiana, USA*
¹¹⁵*Pusan National University, Pusan, Korea*
¹¹⁶*Centre de Calcul de l'IN2P3, Saclay, France*

^aDeceased.

^bAlso at Laboratoire de Physique Corpusculaire (LPC), Clermont Université, Clermont-Ferrand, France.

^cNow at Centro Fermi—Centro Studi e Ricerche e Museo Storico della Fisica, Rome, Italy.

^dNow at Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg, Germany.
^eAdvanced Studies, Johann Wolfgang Goethe-Universität Frankfurt, Frankfurt, Germany.

^eNow at Sezione INFN, Turin, Italy.

^fNow at University of Houston, Houston, Texas, USA.

^gAlso at Dipartimento di Fisica dell'Università, Udine, Italy.

^hNow at SUBATECH, Ecole des Mines de Nantes, Université de Nantes, Nantes, France.

ⁱNow at Centro de Investigación y de Estudios Avanzados (CINVESTAV), Universidad Autónoma de Puebla, Puebla, Mexico.

^jNow at Laboratoire de Physique Subatomique et de Cosmologie, Université Pierre-Simon Laplace, Polytechnique de Grenoble, Grenoble, France.

^kNow at Institut Pluridisciplinaire Hubert Curien (IPHC), Université de Strasbourg, Strasbourg, France.

^lNow at Sezione INFN, Padova, Italy.

^mAlso at Division of Experimental High Energy Physics, University of Tokyo, Tokyo, Japan.

ⁿAlso at University of Technology and Austrian Academy of Sciences, Vienna, Austria.

^oAlso at European Organization for Nuclear Research (CERN), Geneva, Switzerland.

^pNow at Oak Ridge National Laboratory, Oak Ridge, Tennessee, USA.

^qNow at European Organization for Nuclear Research (CERN), Geneva, Switzerland.

^rAlso at Frankfurt Institute for Advanced Studies, Johann Wolfgang Goethe-Universität Frankfurt, Frankfurt, Germany.

^sNow at Frankfurt Institute for Advanced Studies, Johann Wolfgang Goethe-Universität Frankfurt, Frankfurt, Germany.

^tNow at Research Division and ExtreMe Matter Institute EMMI, GSI Helmholtz Accelerator Laboratory, Darmstadt, Germany.

^uAlso at Fachhochschule Köln, Köln, Germany.

^vAlso at Institute of Experimental Physics, Slovak Academy of Sciences, Bratislava, Slovakia.

^wNow at Instituto de Ciencias Nucleares, Universidad Nacional Autónoma de México, México, Mexico.

^xAlso at M. V. Lomonosov Moscow State University, D. V. Skobeltsyn Institute of Nuclear Physics, Moscow, Russia.

^yAlso at Laboratoire de Physique Subatomique et de Cosmologie, Université Pierre-Simon Laplace, Polytechnique de Grenoble, Grenoble, France.

^zAlso at "Vinča" Institute of Nuclear Sciences, Belgrade, Serbia.

^{aa}Also at Wayne State University, Detroit, Michigan, USA.

^{bb}Also at University of Houston, Houston, Texas, USA.

^{cc}Also at Department of Physics, University of Oslo, Oslo, Norway.

^{dd}Also at Variable Energy Cyclotron Centre, Kolkata, India.

^{ee}Now at Department of Physics, University of Oslo, Oslo, Norway.

^{ff}Also at Dipartimento Interateneo di Fisica "M. Merlin" and Sezione INFN, Bari, Italy.

- Sejong University, Seoul, South Korea*
ual Laboratory, Berkeley, California, USA
of Technology, Mumbai, India
he Universität Darmstadt, Darmstadt, Germany
iversity, Seoul, South Korea
munikation (ZTT), Fachhochschule Worms, Worms, Germany
University, San Luis Obispo, California, USA
f Atomic Energy, Beijing, China
nces of the Czech Republic, Prague, Czech Republic
iversity of Texas at Austin, Austin, Texas, USA
ennessee, Knoxville, Tennessee, USA
sità “La Sapienza” and Sezione INFN, Rome, Italy
University, Hiroshima, Japan
Nuclear Physics, Novosibirsk, Russia
University of Rajasthan, Jaipur, India
ty, West Lafayette, Indiana, USA
University, Pusan, South Korea
de l’IN2P3, Villeurbanne, France
- , Clermont Université, Université Blaise Pascal, CNRS-IN2P3, Clermont-
 useo Storico della Fisica “Enrico Fermi”, Rome, Italy.
 versität Heidelberg, Heidelberg, Germany and Frankfurt Institute for
 ität Frankfurt, Frankfurt, Germany.
- .
 e, Italy.
 iversité de Nantes, CNRS-IN2P3, Nantes, France.
 ados (CINVESTAV), Mexico City and Mérida, Mexico and Benemérita
 Cosmologie (LPSC), Université Joseph Fourier, CNRS-IN2P3, Institut
 C), Université de Strasbourg, CNRS-IN2P3, Strasbourg, France.
- cs, University of Lund, Lund, Sweden.
 emy of Sciences, Vienna, Austria.
 (CERN), Geneva, Switzerland.
 Tennessee, USA.
 (CERN), Geneva, Switzerland.
 ann Wolfgang Goethe-Universität Frankfurt, Frankfurt, Germany.
 ann Wolfgang Goethe-Universität Frankfurt, Frankfurt, Germany.
 te EMMI, GSI Helmholtzzentrum für Schwerionenforschung, Darmstadt,
- ademy of Sciences, Košice, Slovakia.
 Nacional Autónoma de México, Mexico City, Mexico.
 D. V. Skobeltsyn Institute of Nuclear Physics, Moscow, Russia.
 Cosmologie (LPSC), Université Joseph Fourier, CNRS-IN2P3, Institut
 ade, Serbia.
 USA.
 .
 Oslo, Norway.
 ndia.
 Oslo, Norway.
 in” and Sezione INFN, Bari, Italy.

^{gg}Now at Nikhef, National Institute for Subatomic Physics and University of Amsterdam, The Netherlands.

^{hh}Also at Institut de Physique Nucléaire d'Orsay (IPNO), Université Paris-Saclay, France.

ⁱⁱAlso at Hua-Zhong Normal University, Wuhan, China.

^{jj}Also at Centro Fermi—Centro Studi e Ricerche e Museo Storico della Fisica e Centro di Studi e Ricerche, Rome, Italy.

ics and Institute for Subatomic Physics of Utrecht University, Utrecht,

), Université Paris-Sud, CNRS-IN2P3, Orsay, France.

eo Storico della Fisica “Enrico Fermi,” Rome, Italy.